

CATEGORY:

CLEARED

FORM PTO-1390 US DEPARTMENT OF COMMERCE ATTORNEYS DOCKET NUMBER REV. 5-93 PATENT AND TRADEMARK OFFICE P98,3235 TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. APPLICATION NO. (if known, see 37 CFR 1.5) CONCERNING A FILING UNDER 35 U.S.C. 371 09/230623 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED PCT/EP97/03883 17 July 1997 6 August 1996 TITLE OF INVENTION "MULTI-LAYERED CANNED PET FOOD" APPLICANT(S) FOR DO/EO/US Stephen May, Steven E. Dingman, and Luz Rayner Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. 🗆 This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay. A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5, į⊠ A copy of International Application as filed (35 U.S.C. 371(c)(2)) a. ⊠ is transmitted herewith (required only if not transmitted by the International Bureau) b. □ has been transmitted by the International Bureau. M c. 🗆 is not required, as the application was filed in the United States Receiving Office (RO/US) 6.∐□ A translation of the International Application into English (35 U.S.C. 371(c)(2). 7. × Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. §371(c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). b. □ have been transmitted by the International Bureau. с. 🗆 have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. ື⊠ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). (Unexecuted) 10. 🗆 A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. to 16. below concern other document(s) or information included: An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98. 11. 🗆 12. 🗆 An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included. 13. ₽ A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment. 14. 🗆 A substitute specification. 15. 🗆 A change of power of attorney and/or address letter. 16. ⊠ Other items or information: a. ME EXPRESS MAIL # EL 121 676 148 US.

U.S. APPLICATION NO. (5 known, see 37 C.F.R. 1.5) INTERNATIONAL APPLICATION NO. PCT/EP97/03883					ATTORNEY'S DOCKET NUMBER P98,3235			
17. ⊠ The following t	fees are submitted:				CA	LCULATIONS	PTO USE ONLY	
	NAL FEE (37 C.F.R. 1 been prepared by the EPO	_		\$840.00				
International prelin	ninary examination fee paid	to US	PTO (37 C.F.R. 1.4	82) \$670.00				
No international pr international searc	eliminary examination fee h fee paid to USPTO (37 C	paid to	USPTO (37 C.F.R. .445(a)(2)	1.482) but \$760.00				
	al preliminary examination .R. 1.445(a)(2) paid to USI							
International prelim claims satisfied pro	ninary examination fee paid ovisions of PCT Article 33(I to US 2)-(4) .	PTO (37 C.F.R. 1.4	82) and all		***		
	ENTER APPRO	OPRIA	TE BASIC FEE	AMOUNT =	\$	840.00		
Surcharge of \$130.00 for furnishing the oath or declaration later than \Box 20 \Box 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).				\$				
Claims	Number Filed		Number Extra	Rate				
Total Claims	10 - 2	0 =	0	X \$ 18.00	\$			
Independent Claims	Independent Claims 2 - 3 = 0 X \$ 78.00							
Multiple Dependent Cla	ims			\$270.00+	\$			
TOTAL OF ABOVE CALCULATIONS =				\$	840.00			
Reduction by ½ for filing by be filed. (Note 37 C.F.R. 1.9,	small entity, if applicable. 1.27, 1.28)	Verifie	d Small Entity state	ement must also	\$			
tunk,			S	UBTOTAL =	\$	840.00		
Processing fee of \$130.00 for figure the earliest claimed prio			n later than 🗆 20	□ 30 months +	\$			
The state of the s			TOTAL NATI	ONAL FEE =	\$	840.00		
Fee for recording the enclose accompanied by an appropria	d assignment (37 C.F.R. 1 te cover sheet (37 C.F.R.	.21(h). 3.28, 3	The assignment n 3.31). \$40.00 per	nust be property +				
			TOTAL FEES E	NCLOSED =	\$	840.00		
						Amount to be refunded	\$	
						charged	\$	
a. A check in the	amount of \$ <u>840.00</u>)	to cover the a	bove fees is en	clos	ed.		
b. Please charge n A duplicate cop	ny Deposit Account N y of this sheet is enc	lo losed.	in	the amount of	\$_	to cove	er the above fees.	
c. The Commission overpayment to	ner is hereby authoriz Deposit Account No	ed to . <u>08-2</u>	charge any ado 2290. A duplic	ditional fees whate copy of thi	nich s sh	may be required eet is enclosed.	, or credit any	
NOTE: Where an appropriate filed and granted to restore the	time limit under 37 C.F.R.	1.494					37(a) or (b)) must be	
SEND ALL CORRESPON	IDENCE TO:	Jew Com	GNATURE		>			
Hill & Simpson A Professional Corporat			obert M. Barret	t				
85th Floor Sears Tower NAME Chicago, Illinois 60606								
			30,142 gistration Num	har				
			Section Mail	J-01				

10

15

20

25

30

35

PCT/EP97/03883
300 Rec'd PCT/PFO 28 JAN 1999

Multi-Layered Canned Pet Food

-1-

Field of the Invention

This invention relates to a canned pet food product which contains layers of different appearance and texture. The invention also relates to a process for producing the canned pet food product.

Background to the Invention

Canned pet foods are traditionally available in two forms; meat loafs and chunk-type products. The meat loafs are particularly well known. They are usually prepared by comminuting raw meat material and mixing it with water, salt, spices, curing agents, gelling agents and, if necessary, fats to provide a batter. The batter is then heated. The heated batter is then filled into cans to form, after retorting and cooling, a meat loaf.

These meat loaf products are popular because they are easily manufactured, readily digested, very palatable to animals, and are readily formulated to contain necessary nutrients and trace elements. However they are in the form of a uniform, homogeneous mass which lacks the striated and chunky appearance of meat. This may be a disadvantage for pet foods since a meat-like appearance can greatly enhance consumer acceptability.

The chunk-type products overcome this difficulty since they are formulated emulsions which simulate the appearance of meat. One example of these formulated emulsions is described in US patent 4,781,939. The formulated meat emulsion described in the patent is produced by first forming a meat emulsion from a meat source. Dry ingredients such as dry proteinaceous materials (for example wheat gluten and soy flour), vitamins, minerals and the like are then mixed into the meat emulsion to provide a viscous emulsion. The viscous emulsion is then run through a high-speed emulsion mill in which the emulsion is rapidly heated to a temperature in the range of 102°C to 118°C. The emulsion leaving the emulsion mill is fed to a holding tube where the protein in the emulsion coagulates to form a solid emulsion product. This solid emulsion product is then cut into chunks. The chunks are highly striated and resemble natural meat chunks in appearance and texture.

Another example of these formulated emulsions is disclosed in US patent 5,132,137. However, in this process the viscous emulsion is heated to a temperature of 40 to 70°C in the emulsion mill; which is much lower than that in the process disclosed in US patent 4,781,939. The heated emulsion takes longer to coagulate and is therefore held in a holding tube for a longer time. The

10

15

20

25

30

35

-2-

emulsion is then formed into strands and baked in an oven at a core temperature of 70 to 95°C.

Canned pet food products which are a combination of the meat loafs and the chunk-type products are also known. These products are formed of a matrix of the meat loaf surrounding pieces of formulated emulsion products.

However there is a need for canned pet food products which have new and interesting textures and appearances to further stimulate consumer interest.

Summary of the invention

Accordingly, in one aspect, this invention provides a canned pet food product comprising:

a base layer comprising solid food pieces in a gravy, the gravy comprising about 20% to about 40% by weight of the base layer; and

an upper layer comprising a substantially solid foodstuff capable of supporting the base layer when the pet food product is inverted, the substantially solid foodstuff comprising about 20% to about 80% by weight of the pet food product.

Often, after opening a can of pet food, the consumer shakes the contents out into the pet's bowl or dish. Therefore, what was the base layer becomes the upper layer in the pet's bowl or dish. The consumer is therefore presented with an attractive layer of solid food pieces in a gravy above a clearly defined layer of a substantially solid foodstuff.

Preferably, the solid food pieces in the base layer are a formulated emulsion product having the striated appearance of natural meat. The formulated emulsion product preferably comprises about 65% to about 95% by weight of a meat material and about 5% to about 35% by weight of a proteinaceous material. If desired, the formulated emulsion product may be in the form of flakes.

The gravy preferably comprises water and about 2% to about 8% by weight of a starch; for example about 4% by weight of starch. The starch is preferably a heat sensitive starch such that its viscosity increasing properties are reduced after being heated. In particular, it is preferred that the gravy has an initial viscosity in the range of about 350 to about 1000 centipoise prior to retorting of the can but a lower viscosity after retorting. It is particularly preferred that the gravy have an initial viscosity of about 500 to about 700 centipoise; for example about 600 centipoise.

10

15

20

25

30

The base layer preferably has a moisture content of about 60% to about 70% by weight. It is particularly preferred that the base layer has a moisture content of about 62% to about 64% by weight; for example about 63% by weight.

The substantially solid foodstuff is preferably a gelled meat loaf, cooked rice, cooked noodles, or aspic, or mixtures thereof. The aspic may contain food pieces such as cooked vegetable pieces.

When the solid foodstuff is a gelled meat loaf, the upper layer preferably has a moisture content of about 70% to about 85% by weight.

During filling, the upper layer preferably has a viscosity in the range of about 2500 to about 4000 centipoise. A viscosity in the range of about 3000 centipoise is particularly preferred.

In another aspect, this invention provides a process for producing a canned pet food product having at least two layers, the process comprising:

filling a base layer comprising solid food pieces in a gravy into a can, the gravy having a viscosity in the range of about 350 to about 1000 centipoise and forming about 20% to about 40% by weight of the base layer;

filling an upper layer into the can, the upper layer comprising a settable foodstuff having a viscosity in the range of about 2500 to about 4000 centipoise and, upon cooling, forming a substantially solid foodstuff, the substantially solid foodstuff comprising about 20% to about 80% by weight of upper and base layers;

sealing the can; and retorting the sealed can.

Preferably the base layer is filled into the can to provide about 30% to about 50% by weight of the upper and base layers.

In a yet further aspect, this invention provides a canned pet food product having at least two layers and produced according to the process defined above.

Detailed description of the Invention

Embodiments of the invention are now described, by way of example only. To produce the pet food product, a mixture of solid food pieces in a gravy and a settable foodstuff must be separately prepared.

10

15

20

25

30

35

a) Preparation of the solid food pieces in gravy:

The mixture of solid food pieces in a gravy may be prepared by simply mixing together solid pieces of meat or other material, or both, and a gravy. The meat material may be any suitable meat source, for example, muscular or skeletal meat, meat by-products or a mixture of meat and meat by-products. The meat material may be in the form of chunks or may be in the form of flakes. However, if a meat material is used, it is preferred if the solid food pieces are a formulated emulsion product. Solid pieces of other material may also be used; such as cooked rice grains, pasta or noodles, vegetable pieces, and the like.

If a formulated emulsion product, is used, it may be produced by any suitable procedure, for example the procedures described in US patents 4,781,939 and 5,132,137. In these procedures, a meat material is formed into a meat emulsion; usually by grinding and then emulsifying blocks of the meat material. The meat material may be any suitable source of animal protein; for example the muscular or skeletal meat of mammals, poultry, and fish or meat by-products such as hearts, liver, kidneys, tongue and the like. The exact composition may be selected according to cost and the desired flavor. The meat material conveniently may be in frozen form prior to grinding. Alternatively or in addition, the meat material may be in the form of meat meals such as poultry meal, fish meal, red meat meal and mixtures thereof. Again the exact composition may be selected according to cost and the desired flavor. Mixtures of any of the above may also be used. The emulsification may be carried out in any suitable equipment.

Usually a proteinaceous material is added to the emulsion to improve emulsion stability and binding. The proteinaceous material may be a vegetable or animal protein source; for example wheat gluten, soy flour, soy protein concentrates, soy protein isolates, egg proteins, whey, casein, etc. The exact choice will depend upon availability, cost and palatability. Usually about 5% to about 35% of the proteinaceous material is used.

If desired or required, fats may be added to the emulsion. Usually the amount of fat in the emulsion must be controlled to facilitate processing and to obtain an acceptable product. However, the meat material may well contain the desired amount of fats and hence adjustment may not be necessary. Typically at this stage the emulsion contains a maximum fat level of about 25% by weight. Conveniently, the amount of fat in the emulsion is in the range of about 5% to 15% by weight; more preferably about 7% to about 12% by weight. The mass

10

15

20

25

30

35

ratio protein to fat in the emulsion is preferably about 1:1 to about 7:1. If added, the fats may be any suitable animal fats; for example tallow, or may be vegetable fats.

Additional ingredients such as sugars, salts, spices, seasonings, flavoring agents, minerals, and the like may also be added to the emulsion. The amount of additional ingredients used is preferably such that they make up about 1% to about 5% by weight of the formulated emulsion product.

Water may also be added to provide from about 45% to 80% by weight moisture in the emulsion. If sufficient moisture is present in the meat material, water need not be added.

Once mixed, the emulsion is preferably fed through a vacuum stuffer, or similar de-aeration apparatus, to de-aerate the emulsion. This removes air which may otherwise cause disruption of the formulated emulsion product and reduce its meat-like appearance.

The emulsion is then fed to an emulsion mill which subjects the emulsion to rapid mechanical heating and shearing. Any suitable emulsion mill may be used, for example the emulsion mill disclosed in US patent 5,132,137. Other suitable emulsion mills are commercially available under the trade name of Trigonal and may be obtained from Siefer Machinenfabrik GmbH & Co KG, Bahnhofstrasse 114, Postfach 101008, Velbert 1, Germany.

The temperature of the emulsion is raised to the desired coagulation temperature in the emulsion mill in a few seconds. For example, the temperature may be raised to from about 100°C to about 120°C. Alternatively, the temperature may be raised to in the range of about 45°C to about 75°C as described in US patent 5,132,137. Usually the mechanical energy generated in the emulsion mill will be sufficient to heat the emulsion but this may be supplemented by the injection of superheated steam.

The heated emulsion leaving the emulsion mill is then transferred to a holding tube. In the holding tube, the heated emulsion coagulates while moving slowly along the holding tube. The residence time of the heated emulsion in the holding tube is sufficient for the emulsion to have coagulated into a firm emulsion product upon reaching the exit of the holding tube.

The firm emulsion product leaving the holding tube is then transferred to a cutter where it is cut into chunks of size suitable for use in a pet food. The chunks may be subjected to flaking if desired.

10

15

20

25

30

Other types of pet food chunks may also be used. For example, instead of subjecting the the emulsion to an emulsion mill, it may be heated to a temperature above about 65°C; for example in a mixer-cooker. Steam may be injected into the emulsion if desired. Then, the heated emulsion may be extruded, cooled and cut into chunks.

The gravy or sauce is produced from water, starch and suitable flavoring agents and should comprise about 20% to about 40% by weight of the mixture of solid pieces and gravy. The amount of starch used is sufficient to provide a gravy with a viscosity of about 350 to about 1000 centipoise; for example up to about 8% by weight of starch may be used. The starch is preferably such that its viscosity increasing properties break down during retorting of the canned pet food. These starches, which are commonly known as modified starches for filling retorted foods, are commercially available from Staley Manufacturing Company (2200 E. Eldorado Street. Decatur, Illinois 62525, USA) and National Starch and Chemical Company (10 Finderne Avenue, Bridgewater, New Jersey 08807).

In place of, or in addition to, the starch, one or more suitable gums may be incorporated into the gravy. Suitable gums are kappa-carrageenan, locust bean gum, guar gum and xanthan gum.

b) Preparation of the settable foodstuff:

When the substantially solid foodstuff is selected to be a gelled meat loaf, the settable foodstuff is a meat batter. The meat batter may be prepared by emulsifying a suitable meat material to produce a meat emulsion. The meat material may be any suitable meat source, for example as described above. Suitable gelling or thickening agents, for example gums such as kappacarrageenan, locust bean gum, guar gum and xanthan gum may be added to the meat emulsion. Usually no more than about 2% by weight of gelling or thickening agent is needed.

Additional ingredients such as sugars, salts, spices, seasonings, flavoring agents, minerals, and the like may also be added to the meat emulsion. The amount of additional ingredients used is preferably such that they make up about 0.25% to about 5% by weight of the meat batter.

The party of the p

5

10

15

20

25

Water may also be added the meat emulsion to provide from about 70% to about 85% by weight. If sufficient moisture is present in the meat material, water need not be added.

The meat emulsion is then heated to a temperature above about 65°C in a mixer-cooker. Steam may be injected into the meat batter if desired. The heated meat emulsion is then again emulsified to provide the meat batter and the meat batter maintained at a temperature above about 60°C until needed. At this stage, the meat batter has a viscosity in the range of about 2500 to about 4000 centipoise.

Alternative, the substantially solid foodstuff may be cooked rice or noodles, or both. In this case, the settable foodstuff may be freshly cooked rice or noodles. Upon cooling, the freshly cooked rice or noodles form a substantially solid layer. If desired, suitable gelling or thickening agents, for example gums such as kappa-carrageenan, locust bean gum, guar gum and xanthan gum may be added to the rice or noodles. Usually no more than about 2% by weight of gelling or thickening agent is needed.

Additional ingredients such as sugars, salts, spices, seasonings, flavoring agents, minerals, and the like may also be added to the rice or noodles. The amount of additional ingredients used is preferably such that they make up about 0.25% to about 5% by weight of the settable foodstuff.

Alternative, the substantially solid foodstuff may be an aspic; for example an aspic which contains cooked vegetable pieces. The aspic may be prepared as is conventional. Additional ingredients such as sugars, salts, spices, seasonings, flavoring agents, minerals, and the like may also be added to aspic. The amount of additional ingredients used is preferably such that they make up about 0.25% to about 5% by weight of the aspic.

c) Canning:

The mixture of the solid food pieces and gravy and the settable foodstuff are then fed to suitable filling machines; one for filling the solid food pieces and gravy and one for filling the settable foodstuff. For filling the solid food pieces and gravy, a pocket filling is particularly suitable. Pocket fillers are commercially available; for example from Luthi Machinery and Engineering Co.,

Inc (1726 W. 180th Street, Gardena California, 90248, USA), Carruthers Equipment Company (1815 N. W. Warrenton Drive, Warrenton, Oregon 97146,

10

15

20

25

30

35

USA) and Zilli & Bellini SPA (Via Benedetta, 85/A, 43100 Parma, Italy). Suitable filling machines for filling the settable foodstuff are commercially available from Hema USA Inc (426 W. Universal Circle, Sandy, Utah 84070, USA), PRC (2582 S. Tejon Street, Englewood, Colorado 80110, USA). During filling, the settable foodstuff should be maintained at a temperature or other conditions to prevent settable.

A metered amount of the mixture of the solid food pieces and gravy is fed into each can entering the pocket filler in a defined layer comprising about 20% to about 80% of the volume or weight of the product. For example, the layer may make up about 30% to about 70% of the volume or weight of the product. The cans are then fed to a separate filling machine for filling the settable foodstuff. A metered amount of the settable foodstuff is then fed onto the mixture of the solid food pieces and gravy. Due to the density and viscosity of the mixture of the solid food pieces and gravy and the density and viscosity of the settable foodstuff, clear and distinct layers are formed in the can. These layers remain clear and distinct during seaming of the cans; despite the rotational movement of the cans. After having cooled, the settable foodstuff will form a firm, substantially solid layer.

The cans are then retorted under conditions sufficient to effect commercial sterilization in the normal manner. Typically the cans are retorted at a temperature of about 115°C to about 125°C for about 30 to 100 minutes. During the retorting operation, the starch in the gravy preferably breaks down such that the previously viscous gravy takes on the appearance of a thin, runny sauce.

The cans therefore contain a product which comprises a lower layer made up of solid pieces of food in a thin sauce and an upper layer of a substantially solid foodstuff. The layers are clear and distinct and the product is visually attractive once removed from the can.

Example 1

a) Production of solid food pieces in gravy

Blocks of frozen meat made up of beef, pork, poultry, fish and meat by-products are cut into pieces of about 10 cm in size and the pieces are then ground in a meat grinder. The ground meat is transferred to a mixer in which it is heated to a temperature of about 0°C. After mixing, the ground meat is fed into an

10

15

20

25

30

35

emulsifier in which it is emulsified and heated to a temperature of about 20°C. The meat emulsion is then transferred to a mixer. A blend of dry proteinaceous material made up of a mixture of wheat gluten, soy flour and soy protein concentrate is added. Additives in the form of vitamins, minerals, flavoring agents, sugars and salts are then added. At this stage, the emulsion is made up of about 77% by weight of meat materials, about 21% by weight of the proteinaceous material and about 2% additives. The fat content is about 10% by weight and the moisture content is about 55% by weight.

The emulsion, at a temperature of about 35°C, is then pumped to an emulsion mill in which it is rapidly heated up to a temperature of about 107°C. The hot emulsion is ejected from the emulsion mill into a holding tube. The emulsion moves slowly through the holding tube such that it is sufficiently cooled and coagulated upon exiting the tube. The coagulated product leaving the holding tube is then cut into cubes of about 2 cm dimension. The chunks have a highly striated, meat like appearance. The chunks are then cooled and flaked to produce flakes of about 1 to about 2 cm size. The flakes are screened to remove small fragments.

A gravy is then prepared by mixing a modified starch, flavoring and coloring agents, and water. The gravy has a viscosity of about 600 centipoise. The mixture is heated to about 80°C and then blended with the flakes. The gravy provides about 30% by weight of the mixture of solid food pieces and gravy.

b) Production of meat batter

Blocks of frozen meat made up of beef, pork, poultry, fish and meat byproducts are cut into pieces of about 10 cm in size and the pieces are then ground
in a meat grinder. The ground meat is transferred to a mixer and heated.

Vitamins, minerals, flavoring agents, salts and about 1% by weight of a gum
mixture are added. The mixture is heated to about 75°C under mixing and
maintained at this temperature. The meat batter has a viscosity of about 3000
centipoise.

c) Canning

The mixture of solid food pieces in gravy is then transferred to a pocket filler obtained from Carruthers Equipment Company and filled into cans. The

amount of the mixture of solid food pieces in gravy is selected to provide about 40% of the total product weight in the can. The cans are then transferred to a filling machine obtained from PRC. The remaining space in each can is filled with meat emulsion.

The cans are then seamed and retorted. A can is opened and turned out onto a plate. The product has a clearly defined lower layer made up of meat loaf topped by a layer of meat flakes in a thin sauce.

Example 2

10

15

5

The process of example 1 is repeated except that cooked rice is substituted for the flakes of formulated meat emulsion in the solid food pieces and gravy. A can of the product is opened and turned out onto a plate. The product has a clearly defined lower layer made up of meat loaf topped by a layer of cooked rice in a thin sauce.

Example 3

20

The process of example 1 is repeated except that freshly cooked rice is used in place of the meat batter. A can of the product is opened and turned out onto a plate. The product has a clearly defined lower layer made up of rice topped by a layer of meat flakes in a thin sauce.

-11-

Claims

1. A canned pet food product comprising:

a base layer comprising solid food pieces in a gravy, the gravy comprising about 20% to about 40% by weight of the base layer; and

an upper layer comprising a substantially solid foodstuff capable of supporting the base layer when the pet food product is inverted, the substantially solid foodstuff comprising about 20% to about 80% by weight of the pet food product.

10

5

- 2. A product according to claim 1 in which the solid food pieces in the base layer are a formulated emulsion product having the striated appearance of natural meat.
- 15 3. A product according to claim 2 in which the formulated emulsion product is in the form of flakes.
 - 4. A product according to claim 1 in which the gravy comprises water and about 2% to about 8% by weight of a heat sensitive starch which undergoes a reduction in its viscosity increasing properties during heating.

20

5. A product according to claim 1 in which the gravy has an initial viscosity in the range of about 350 to about 1000 centipoise prior to filling of the base layer into the can.

25

- 6. A product according to claim 1 in which the base layer has a moisture content of about 60% to about 70% by weight.
- 7. A product according to claim 1 in the substantially solid foodstuff is a gelled meat loaf, cooked rice, cooked noodles, or aspic, or mixtures thereof.
 - 8 A product according to claim 7 in which the upper layer has a moisture content of about 70% to about 85% by weight.

10

15

- 9. A product according to claim 9 in which the upper layer has a viscosity in the range of about 2500 to about 4000 centipoise during filing of the upper layer into the can.
- 10. A process for producing a canned pet food product having at least two layers, the process comprising:

filling a base layer comprising solid food pieces in a gravy into a can, the gravy having a viscosity in the range of about 350 to about 1000 centipoise and forming about 20% to about 40% by weight of the base layer;

filling an upper layer into the can, the upper layer comprising a settable foodstuff having a viscosity in the range of about 2500 to about 4000 centipoise and, upon cooling, forming a substantially solid foodstuff, the settable foodstuff comprising about 20% to about 80% by weight of upper and base layers;

sealing the can; and retorting the sealed can.

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY

(Includes Reference to PCT International Applications)

ATTORNEY'S DOCKET NUMBER P98,3235

As a be	low named inve	ntor, I hereby declare that:		
I believe I am th	ne original, first a al names are list	te address and citizenship are as and sole inventor (if only one named below) of the subject matter w	e is listed below) or an original, fi hich is claimed and for which a p	rst and joint atent is sought on
the specificatio	on of which (chec	k only one item below):		
" ⊠	is attached here	eto.		
PE	was filed as Un Serial No.	ited States application 09/230,623		_
	on Januar	ry 28, 1999		_,
1 4 1999 BEEL A 1 WUL	and was amend	ded		
T& TRADEMARK	on		(if applicable).	
	was filed as PC	T international application		
The state of the s	Number	PCT/EP97/038	83	_
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	on	July 17, 1997		 1
1300 - 42003 Hann Ham		ded under PCT Article 19		-
72.0. 1 1 1 1 1 1 1 1 1 1 1 1 1	on		(if applicable).	
ll horoby state t		ved and understand the contents		ion including the
claims, as ame	nded by any am	endment referred to above.	or and above rearrance epicamics.	,
		ose information which is material legulations, §1.56(a).	to the examination of this applica	tion in accordance
patent or inven the United Stat inventor's certif	tor's certificate o es of America lis ficate or any PC ica filed by me o	enefits under Title 35, United Stat r of any PCT international applica ted below and have also identifie r international application(s) design n the same subject matter having	ation(s) designating at least one on the delow any foreign application(someting at least one country othe	country other than) for patent or than the United
PRIOR FOREI	GN/PCT APPLIC	CATION(S) AND ANY PRIORITY	CLAIMS UNDER 35 U.S.C. 119):
COUN (if PCT indic		APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119
				□ YES □ NO
				□ YES □ NO
				□ YES □ NO
				□YES □NO

□ YES □ NO

Combined Declaration For Patent Application and Power of Attorney

(Continued) (Includes Reference to PCT International Applications)

ATTORNEY'S DOCKET NO. P98,3235

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject mater of each of the claims of this application is not disclosed in

PCT APPLICATION DESIGNATING THE U.S. PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT A	PRIOR U	S. APPLICATIONS	OR PCT IN	ITERNATIONAL A	PPLICATIO	NS DESIGNATING	THE U.S. FOR B	ENEFIT UNDER	R 35 U.S.C. 120:
August 6, 1996 X August 6, 1996 X DO36,731 January 24, 1997 X PCT APPLICATIONS DESIGNATING THE U.S. PCT APPLICATION DESIGNATING THE U.S. PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) PCT APPLICATION NO PCT FILING DATE ASSIGNED (if any) POST OF FICE ADDRESS (if any) POST OF F			U.S. A	PPLICATIONS			s	TATUS (Check of	one)
PCT APPLICATION NO PCT FILING U.S. SERIAL NUMBERS ASSIGNED (if any) OWER OF ATTORNEY: As a named inventor, I hereby appoint Messrs. John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,774), ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noll (28,982), Kevin W. Guynn (28,977), Robert M.) Ward (26,517), Brait A. Valiquet 7,241, Edward A. Luhran (22,712), David K. Metgros (29,184), James D. Hobart (24,146), Methra R. Politon (28,1712), Brait A. Valiquet 7,241, Edward A. Luhran (22,712), David K. Metgros (29,184), James D. Hobart (24,146), Methra R. Politon (28,1712), Brait A. Valiquet 7,241, Edward A. Luhran (22,712), David K. Metgros (29,184), James D. Hobart (24,146), Methra R. Politon (28,1712), Paule J. Kenly (37,624), John W. Commell (30,119), Robert J. Depte (37,677) and March (28,140), Paule J. Kenly (37,624), John W. Commell (30,119), Robert J. Depte (37,677) and March (28,140), Paule J. Kenly (37,624), John W. Commell (30,119), Robert J. Depte (37,677) and March (28,140), Paule J. Kenly (37,624), John W. Commell (30,119), Robert J. Depte (37,677) and March (28,140), Paule J. Kenly (37,674), John W. Commell (30,119), Robert J. Depte (37,677) and March (28,140), Robert J. Depte (37,677) and March (28,140), Robert J. Depte (37,677) and March (28,140), Robert J. Depte (37,677) and March (38,140), Robert J. Depte (37,6	U.S. APPLICATION NUMBER			U.S.	FILING DATE	PATENTED	PENDING	ABANDONED	
PCT APPLICATIONS DESIGNATING THE U.S. PCT APPLICATION NO PCT FILING DATE U.S. SERIAL NUMBERS ASSIGNED (if any) OWER OF ATTORNEY: As a named inventor, I hereby appoint Mesars, John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,074), ennis A. Gross (24,410), Robert M. Barnett (30,142), Steven H. Noll (28,992), Kevin W. Guynn (29,927), Robert M. Ward (25,517), Bart A. Valiquet (27,411), Edward A. Lehman (22,312), David R. Netger (32,919), amase D. Hobart (24,149), Melvin A. Cheiman (23,73), John R. Garrett (27,883), odd S. Parkhurst (26,449), Paula J. Keliy (37,624), John W. Cornell (30,519), Robert J. Depke (37,607), John R. Garrett (27,883), Motine R. Garrett (28,883), Motine R.	60/022,445			August 6	1996			х	
PCT APPLICATION NO PCT FILLING DATE U.S. SERIAL NUMBERS ASSIGNED (if any) OWER OF ATTORNEY: As a named inventor, I hereby appoint Mesars. John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,074), ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noli (28,952), Kevin W. Guynn (29,927), Robert M. Ward (26,517), Brait A. Valiquet (27,841), Edward A. Lehman (22,312), David R. Metzger (32,319), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), Edward A. Lehman (22,312), David R. Metzger (32,1919), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), edward A. Lehman (23,312), David R. Metzger (32,319), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), data for the film of Hill & Simpson, A. Professional Corporation and Correspondence to: ### Professional Corporation ### Stimpson (20,111) A. Professional Corporation ### S	0/036,73	31			January 2	24, 1997			х
PCT APPLICATION NO PCT FILLING DATE U.S. SERIAL NUMBERS ASSIGNED (if any) OWER OF ATTORNEY: As a named inventor, I hereby appoint Mesars. John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,074), ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noli (28,952), Kevin W. Guynn (29,927), Robert M. Ward (26,517), Brait A. Valiquet (27,841), Edward A. Lehman (22,312), David R. Metzger (32,319), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), Edward A. Lehman (22,312), David R. Metzger (32,1919), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), edward A. Lehman (23,312), David R. Metzger (32,319), Jannes D. Hobart (24,149), Melvin A. Robinson (31,877), John R. Goment (27,861), data for the film of Hill & Simpson, A. Professional Corporation and Correspondence to: ### Professional Corporation ### Stimpson (20,111) A. Professional Corporation ### S									
OWER OF ATTORNEY: As a named inventor, I hereby appoint Messrs. John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,074), sennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noti (28,982), Kewin W. Guynn (29,927), Robert M. Word (26,517), Breft A. Valiquet (27,841), Edward A. Lehman (22,312), David R. Mertzger (32,919), James D. Hobart (24,149), Mehoh A. Robinson (13,00 hor R. Garetti (27,889), John R. Gar		PCT APP	LICATION	S DESIGNATING T	ΓΗΕ U.S.				
COWER OF ATTORNEY: As a named inventor, I hereby appoint Messrs. John D. Simpson (Registration No. 19,842), Lewis T. Steadman (17,074), ennite A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Nol (28,982), Kewh W. Guynn (29,927), Robert M. Ward (26,517), Brett A. Valiquet 77,241), Event A. Lehman (23,312), David R. Metzper (32,919), James D. Hobart (24,149), Methy A. Robinson (25,332), Michael S. Leonard (37,537) and Marvin Moody (16,549) all members of the firm of Hill & Simpson, A Professional Corporation and Correspondence to: HILL & SIMPSON A Professional Corporation and Prof									
ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noll (28,982), Kevin W. Guynn (29,927), Robert M. Ward (26,517), Brett A. Vallquet Y. 241, Edward A. Lehman (22,312), David R. Mentzger (32,919), James D. Hobart (24,149), Mehivin A. Robins (31,870), John R. Garrett (127,889), odd S. Parkhurst (26,494), Paula J. Kelly (37,624), John W. Cornell (30,619), Robert J. Depke (37,607), Joseph P. Reagen (33,322), Michael R. Leonard (37,557) and Marvin Moody (16,549) all members of the firm of Hill & Simpson, A Professional Corporation end Correspondence to: HILL & SIMPSON A Professional Corporation 85th Floor Sears Tower, Chicago, Illinois 60606 FULL NAME OF INVENTOR May RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1111 N. 49th Street Saint Joseph Missouri Starte a terp coope: Countrey Missouri POST OFFICE ADDRESS 1302 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1502 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1502 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1502 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1502 N. Jum Scuri POST OFFICE ADDRESS 1502 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri POST OFFICE ADDRESS 1502 N. Jum Scuri RESIDENCE & CITY Saint Joseph Missouri 64508 (LIC) POST OFFICE ADDRESS 1502 N. Jum Scuri POST OFFICE ADDRESS 1502	*								
ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noll (28,982), Kevin W. Guynn (29,927), Robert M. Ward (26,517), Brett A. Vallquet 7,281), Edward A. Lehman (22,312), David R. Metzger (32,219), James D. Hobart (24,149), Metriva R. Aphyl, Aphyl, Metriva R. Aphyl, Aphy	4								
ennis A. Gross (24,410), Robert M. Barrett (30,142), Steven H. Noll (28,982), Kevin W. Guynn (29,927), Robert M. Ward (26,517), Brett A. Vallquet 7,281), Edward A. Lehman (22,312), David R. Metzger (32,219), James D. Hobart (24,149), Metriva R. Aphyl, Aphyl, Metriva R. Aphyl, Aphy					<u> </u>				
RESIDENCE & CITY POST OFFICE ADDRESS POST OFFICE ADDRESS POST OFFICE ADDRESS ADDRESS FULL NAME OF INVENTOR RESIDENCE & CITY ADDRESS POST OFFICE ADDRESS ADDRESS FULL NAME OF INVENTOR RESIDENCE & CITY Baint Joseph FAMILY NAME POST OFFICE ADDRESS ADDRESS OFFICE ADDRESS OF	-	respondence to:	A Pr loor Sea	HILL & SIMPS rofessional Co ars Tower, Chic	SON rporation	nois 60606 FIRST GIVEN NAME		Direct Telepho 312/876-0200 Ext. 3060	one Calls to:
RESIDENCE & CITIZENSHIP POST OFFICE ADDRESS 1111 N. 49th Street Saint Joseph Missouri FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph POST OFFICE ADDRESS 1111 N. 49th Street Saint Joseph FAMILY NAME Dingman Steven State of Poreign Country Missouri FIRST GIVEN NAME SECOND GIVEN NAME E. COUNTRY OF CITIZENSHIP POST OFFICE ADDRESS SO 2 N. 2007 A601 Cheyenne Street POST OFFICE ADDRESS SO 2 N. 2007 FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph FAMILY NAME FAMILY NAME RAYNEr POST OFFICE ADDRESS SO CITY RESIDENCE & CITY Saint Joseph FAMILY NAME RAYNEr POST OFFICE ADDRESS SO CITY RESIDENCE & CITY STATE GIVEN NAME LUZ STATE OF FOREIGN COUNTRY Missouri FIRST GIVEN NAME LUZ STATE OF FOREIGN COUNTRY Missouri COUNTRY OF CITIZENSHIP POST OFFICE ADDRESS A904 Creek Crossing Drive CUTY STATE OF FOREIGN COUNTRY Missouri COUNTRY OF CITIZENSHIP Missouri COUNTRY OF CITIZENSHIP Missouri STATE & ZIP CODE/COUNTRY Missouri COUNTRY OF CITIZENSHIP Missouri COUNTRY OF CITIZENSHIP POST OFFICE ADDRESS A904 Creek Crossing Drive CUTY STATE & ZIP CODE/COUNTRY Missouri Missouri Missouri STATE & ZIP CODE/COUNTRY Missouri COUNTRY OF CITIZENSHIP Missouri Missouri STATE & ZIP CODE/COUNTRY Missouri COUNTRY OF CITIZENSHIP Missouri COUNTRY OF CITIZENSHIP Missouri Missouri STATE & ZIP CODE/COUNTRY Missouri Missouri STATE & ZIP CODE/COUNTRY Missouri STATE & ZIP CODE/COU	N)		May			Stephen			
POST OFFICE ADDRESS FULL NAME OF INVENTOR FAMILY NAME Dingman FAMILY NAME DINGMAN FIRST GIVEN NAME SECOND GIVEN NAME E.		1		aint Joseph OST OFFICE ADDRESS			COUNTRY	United States	
FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph POST OFFICE ADDRESS 300 N 2011 STATE OR FOREIGN COUNTRY A601 Cheyenne Street ADDRESS FULL NAME OF INVENTOR RESIDENCE & CITY A601 Cheyenne Street ADDRESS FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph POST OFFICE ADDRESS A10 N 2011 STATE OR FOREIGN COUNTRY Missouri FIRST GIVEN NAME Luz STATE OR FOREIGN COUNTRY Missouri COUNTRY OF CITIZENSHIP SECOND GIVEN NAME Luz CITY Saint Joseph Missouri United States STATE & ZIP CODE/COUNTRY Missouri 64507 Missouri 64507 Missouri 64507 Missouri 64507 STATE & ZIP CODE/COUNTRY Missouri 64507 STATE & ZIP CODE/COUNTRY Missouri 64507 Missouri 64507 STATE & ZIP CODE/COUNTRY MISSOURI 64508 STA	1		i .				oh	Missouri 64506	
POST OFFICE ADDRESS AMILY NAME FAMILY NAME Rayner RESIDENCE & CITY STATE & ZIP CODE/COUNTRY Missouri 64503 (JJS) RESIDENCE & CITY STATE & ZIP CODE/COUNTRY Missouri 64503 (JJS) RESIDENCE & CITY STATE & COUNTRY OF CITIZENSHIP Missouri United States POST OFFICE ADDRESS STATE & ZIP CODE/COUNTRY Missouri United States POST OFFICE ADDRESS CITY STATE & ZIP CODE/COUNTRY Missouri United States POST OFFICE ADDRESS STATE & ZIP CODE/COUNTRY Missouri United States POST OFFICE ADDRESS STATE & ZIP CODE/COUNTRY Missouri G4507 Post office Address Statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by ne or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the alidity of the application or any patent issuing thereon. SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 202 SIGNATURE OF INVENTOR 203	00		1	gman_		1			
POST OFFICE ADDRESS 4601 Cheyenne Street Saint Joseph FIRST GIVEN NAME FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph POST OFFICE ADDRESS POST OFFICE ADDRESS POST OFFICE ADDRESS POST OFFICE ADDRESS A904 Creek Crossing Drive Post office Address and further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by the or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the religibility of the application or any patent issuing thereon. SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 203			Saint	Saint Joseph		Missouri		1	
FULL NAME OF INVENTOR RESIDENCE & CITY Saint Joseph POST OFFICE ADDRESS Post Office ADDRESS Post office ADDRESS Post office Address Ago A Creek Crossing Drive Post office Address Ago A Creek Crossing Drive CITY Saint Joseph Missouri CITY State & ZIP CODE/COUNTRY Missouri 64507 STATE & ZIP CODE/COUNTRY Missouri 64507 Missouri 64507 Missouri 64507 Missouri 64507 Missouri 64507 SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 203 SIGNATURE OF INVENTOR 203	2		POST OFFICE POST OFFICE ADDRESS 302 N . 3				oh		
RESIDENCE & CITY Saint Joseph Missouri United States POST OFFICE ADDRESS 4904 Creek Crossing Drive Perception of the properties of the properties of the properties of the properties of the application or any patent issuing thereon. SIGNATURE OF INVENTOR 201 RESIDENCE & SIATE OR FOREIGN COUNTRY Missouri United States COUNTRY OF CITIZENSHIP United States STATE OR FOREIGN COUNTRY Missouri United States STATE & ZIP CODE/COUNTRY Missouri 64507 STATE & ZIP CODE/COUNTRY Missouri 64507	00		i			Luz			
POST OFFICE ADDRESS 4904 Creek Crossing Drive Saint Joseph Missouri 64507 Mereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by the or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the ralidity of the application or any patent issuing thereon. SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 202 SIGNATURE OF INVENTOR 203	2							United States	
be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by ne or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the alidity of the application or any patent issuing thereon. SIGNATURE OF INVENTOR 201 SIGNATURE OF INVENTOR 203 SIGNATURE OF INVENTOR 203	3	1	4904	Creek Cros	sing	· ·	oh	1	
	be true ne or im	e; and further that thes prisonment, or both, u	se stateme nder sectio	ents were made with on 1001 of Title 18	n the knowle	edge that willful false	e statements and	the like so made	are punishable by
	SIGNATURE OF INVENTOR 201 SIGNATURE OF			INVENTO	₹ 202		P		